

Quail Unlimited Chapter Controlled Burn Insurance Request Form

There is no coverage provided unless this application is completed and approved by the company prior to the burn.

Agent: Sportsman's Insurance Agency, Inc.
Attention: Heidi Juttner
1450 N. US 1, Suite 500
Ormond Beach, FL 32174
Fax - 386-677-3292 Phone - 800-925-7767 www.siai.net

To Be Completed by Chapter Representative

Today's Date: _____ Chapter Number: _____

Chapter Name: _____

Chapter Chairman/Contact Person's Name: _____ E-Mail: _____

Chapter Contact Person's Daytime Phone #: _____ Fax #: _____

Chapter Address: _____ State: _____ Zip: _____

Location of Burn: _____

Do you have written consent from the land owner to burn on their land? Yes No

Other organizations participating in burn: _____

Does the land owner require you to list them as an additional insured? Yes No If you indicated, no we will issue a certificate for information purposes only. If you indicated yes, we will issue the certificate showing the certificate holder (land owner) as an "Additional Insured".

Certificate Holder's Name: _____

Certificate Holder's Address: _____

City: _____ ST _____ Zip: _____

Certificate Holder's Fax Number: _____

Has the local fire department been notified of the burn? Yes No (if no, ineligible for coverage)

Is the burn located near a highway? Yes No If yes, please provide distance to highway and identify them in the burn plan

Are there any buildings in close proximity to the burn? Yes No If yes, clearly outline them in the burn plan

When was this land last burned? Date: _____

MANDATORY REQUIREMENTS

1. A burn team shall be composed of at least 4 people that have completed an approved landowner prescribed fire training workshop.
2. At least one of these members will have burn boss certification. (Level II and III).
3. The burn team must work from an approved prescribed burn plan. Provide a copy for our records
4. The burn site must have a tilled or disced fire lane, with mineral soil exposed or wheat or other green vegetation present with no accumulated litter, with a minimum width of four feet.
5. For native grasses, a fire reduction strip at least four feet wide must be mowed to no more than eight inches tall inside of the disced, tilled or green fire lane.
6. Provide a diagram of the area along with your burn plan, noting distance roadways, buildings etc.